



“MAKE **AMERICA** FLEXIBLE AGAIN!”

**NO CDL**



- + Working height 108 ft
- + Horizontal reach 69 ft
- + Below CDL at 24,900 lbs
- + The new dimension of access flexibility in Northern America

ANOTHER FANTASTIC RUTHMANN  
**REVOLUTION**

...BUILT AND FINISHED IN THE US...

SALES AND SERVICE FOR NORTHERN AMERICA BY

## THE UNIT



No CDL - drive with regular US driver's license

Width in travel position 8 ft 3 in

Max. outrigger width only 12 ft 5 in - only one side blocked

Weight 24,900 lbs

*...fulfilling all ANSI standards and compliance*


- Chosen for its durability
- Chosen for its extensive service network nationwide
- Powered with 6.7 liter Power Stroke Diesel
- 6 speed automatic transmission
- Very well-known and proven in North America
- Compact and easy to drive
- No CDL

## THE TRUCK



## THE PLATFORM

- Working height 108 ft
- Horizontal reach 69 ft
- Basket size 67 x 34 inch
- Jib rotation 185°
- Turret rotation 500° (2 x 250°)
- Basket load capacity 700 lbs
- Basket rotation 2 x 90°
- Set up inclination 5°
- Easy basket entry
- Auto outrigger setting and leveling



## THE ADVANTAGES

- Reduced logistic effort
- Fast set-up time
- High mobility
- Longer outreach in comparison to other access segments
- Small outrigger foot print, including variable positioning and auto leveling system
- Self drive unit - no CDL required
- Eliminates a second driver



“MAKE **AMERICA** FLEXIBLE AGAIN!”

**NO CDL**






108 ft



12 ft 2in



	67 x 34 in
	700 lbs
	185°



32 ft 8 in



24.900 lbs  
xx,xxx t



5°



69 ft

## SUMMARY

- + 108ft work height**
- + 69ft side reach**
- + Below CDL at 24,900 lbs**
- + 700 lbs basket capacity**
- + COCKPIT - control unit with display**
- + All telescopic boom with jib**
- + Multi-beveled boom profile**
- + Auto outrigger setting + leveling**
- + Ford F 650 - 6.7 l Power Stroke Diesel**
- + 6 speed automatic transmission**



your sales and service partner for Northern America  
 ReachMaster, Inc  
 1416 D Stonehollow Dr.  
 Kingwood, TX 77339  
 USA

TF: 1-866-358-7088  
 Tel: 281-358-7088  
 Fax 281-359-3500  
 info@reachmaster.com  
 www.reachmaster.com