



“MAKE **AMERICA** FLEXIBLE AGAIN!”

NO CDL



- + Working height 108 ft
- + Horizontal reach 69 ft
- + Below CDL at 24,900 lbs
- + The new dimension of access flexibility in Northern America

ANOTHER FANTASTIC RUTHMANN
REVOLUTION

...BUILT AND FINISHED IN THE US...

SALES AND SERVICE FOR NORTHERN AMERICA BY

THE UNIT



- No CDL - drive with regular US driver's license
- Width in travel position 8 ft 3 in
- Max. outrigger width only 12 ft 5 in - only one side blocked
- Weight 24,900 lbs

...fulfilling all ANSI standards and compliance


- Chosen for its durability
- Chosen for its extensive service network nationwide
- Powered with 6.7 liter Power Stroke Diesel
- 6 speed automatic transmission
- Very well-known and proven in North America
- Compact and easy to drive
- No CDL

THE TRUCK



THE PLATFORM

- Working height 108 ft
- Horizontal reach 69 ft
- Basket size 67 x 34 inch
- Jib rotation 185°
- Turret rotation 500° (2 x 250°)
- Basket load capacity 700 lbs
- Basket rotation 2 x 90°
- Set up inclination 5°
- Easy basket entry
- Auto outrigger setting and leveling



THE ADVANTAGES

- Reduced logistic effort
- Fast set-up time
- High mobility
- Longer outreach in comparison to other access segments
- Small outrigger foot print, including variable positioning and auto leveling system
- Self drive unit - no CDL required
- Eliminates a second driver






"MAKE AMERICA FLEXIBLE AGAIN!"

NO CDL

 108 ft

 12 ft 2in



	67 x 34 in
	700 lbs
	185°

 32 ft 8 in

 24.900 lbs
xx,xxx t

 5°

 69 ft

SUMMARY

- + 108ft work height
- + 69ft side reach
- + Below CDL at 24,900 lbs
- + 700 lbs basket capacity
- + COCKPIT - control unit with display
- + All telescopic boom with jib
- + Multi-beveled boom profile
- + Auto outrigger setting + leveling
- + Ford F 650 - 6.7 l Power Stroke Diesel
- + 6 speed automatic transmission



your sales and service partner for Northern America
 ReachMaster, Inc
 1416 D Stonehollow Dr.
 Kingwood, TX 77339
 USA

TF: 1-866-358-7088
 Tel: 281-358-7088
 Fax 281-359-3500
 info@reachmaster.com
 www.reachmaster.com